

# China **ADS**Dental Lab RX

Website: [www.chinaadsdentallab.com](http://www.chinaadsdentallab.com)

Facebook: <https://www.facebook.com/outsourcingdentallab/>

Instagram: [https://www.instagram.com/dentallab\\_](https://www.instagram.com/dentallab_)

Hongkong shipping Address: 1/F 41 Ma Wan New Village, Pa Mei Road, Lantau Island, Tung Chung, Hongkong. 999077 Contact: Anny Yang ,Tel: +85269414  
 Shenzhen shipping Address: East side4/F HengguangYao Industry Park,Fuyong Baoan Shenzhen Guangdong 518103. Contact :Anny Yang ,Tel:+8613430498



## CROWN&BRIDGE ORDERFORM

Client Name: \_\_\_\_\_

Case#: \_\_\_\_\_

Ship Out Date: / /

Doctor Name: \_\_\_\_\_

Patient: \_\_\_\_\_

Case Due date: / /

Type:  Crown

Bridge

Veneer

Post&Core

MaryInd Bridge

Richmond

Porcelain Fused To:

All Ceramic Restoration:

Full Cast Restorations:

Implant

- Non-Precious
- Semi-Precious
- White-Precious 40%
- Yellow-Precious 74%

- Emax-Layering
- Emax-Monolithic
- Zirconia-Layering
- Zirconia-Monolithic
- Solidex( Composite)
- Katana/Multilayer zirconia
- LAVA Zirconia
- Emax CAD

- Non-Precious
- Semi-Precious(Silver)
- 40% Gold(White)
- 20% Gold(Yellow)
- 52% Gold(Yellow)

- Implant Brand \_\_\_\_\_
- Screw Retained  Cement Retained
  - Custom Abutment
  - Milling Implant bar
  - Cast UCLA abutment
  - Cast Implant bar
  - Malo Bridge

Miscellaneous:

- Buccal Porcelain Butt Margin
- 360 Porcelain Butt Margin
- Metal occlusion
- Metal Island
- Cantilever Bridge
- Temporary Crown/ Bridge
- Diagnostic Wax Up

Attachment:

- ERA
- MK1
- Key&Key Way
- Ball Type
- Locator
- Telescope

Abutment Material

- Zirconia  Titanium
- Non-Precious  Semi-Precious

Tooth Shade

Shade: \_\_\_\_\_

Stump Shade : \_\_\_\_\_

Photos Emailed to: [info@chinaadsdentallab.com](mailto:info@chinaadsdentallab.com)

Design:

Staining

Aesthetic &Functional Requirements

**Pontic Design**

**Interproximal Contact**

Light  Medium  Heavy

None  
 Light  
 Medium  
 Strong

Ideal  Copy Study Model  Characterized  Diastema(s)  
 Central Length/Width Please remark: \_\_\_\_\_

**Metal Design**

**Embrasure**

Close  Moderate  Open

Desired Shape:

**Occlusal Contact**

Heavy  Light  Open

**Die Spacer**

X1  X2  X3

Goal of Restoration: \_\_\_\_\_

Posterior Functional Requirements  
 Class 1 (Ideal)  Class 2 (Retrognathic)  Class 3 (Prognathic)

What patient Like: \_\_\_\_\_

What Patient Dislike: \_\_\_\_\_

NOTE: \* Means ADS Default if you don't select on the form

Tooth Number

18	17	16	15	14	13	12	11	21	22	23	24	25	26	27	28
48	47	46	45	44	43	42	41	31	32	33	34	35	36	37	38

**Additional Instructions:**

If Insufficient Room:(must select)

- Reduce Opposing
- Metal Occlusal
- Metal Island
- Reduction Coping
- Email me photo